

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for https://kuskvn.github.io/portfolio/

Checker Input

Show ☐ source ☐ outline ☐ image report

Options...

Check by address ▼

https://kuskvn.github.io/portfolio/

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.

From line 1, column 16; to line 2, column 44

TYPE `html`<link rel = "stylesheet" href = "style.css"><html

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

2. **Error** Stray start tag `html`.

From line 3, column 1; to line 3, column 6

`yle.css"><html><< <he`

3. **Error** Start tag `head` seen but an element of the same type was already open.

From line 5, column 2; to line 5, column 7

`<<html><< <head>< <`

4. **Error** Stray end tag `head`.

From line 46, column 2; to line 46, column 8

`/div>< </head>< <b`

5. **Error** Start tag `body` seen but an element of the same type was already open.

From line 48, column 2; to line 48, column 7

```
/head>↵      ↵      <body>↵ ↵      <
```

6. **Error** Attribute `div` not allowed on element `a` at this point.

From line 72, column 4; to line 72, column 52

```

r">↵      ↵      <a href = "resume/resume.html" div class
= "box">↵      ↵

```

Attributes for element [a](#):

Global attributes

href — Address of the [hyperlink](#)

target — Navigable for hyperlink navigation

download — Whether to download the resource instead of navigating to it, and its filename if so

ping — URLs to ping

rel — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

hreflang — Language of the linked resource

type — Hint for the type of the referenced resource

referrerpolicy — Referrer policy for fetches initiated by the element

7. **Error** Start tag `a` seen but an element of the same type was already open.

From line 82, column 4; to line 82, column 56

```
v>↵                                ↵                                <a href =  
"creative/creative.html" div class = "box">↵                                ↵
```

8. **Error** Attribute `div` not allowed on element `a` at this point.

From line 82, column 4; to line 82, column 56

```
v>↵                                ↵                                <a href =  
-----  
"creative/creative.html" div class = "box">↵                                ↵
```

Attributes for element a:

Global attributes

href — Address of the [hyperlink](#)

target — [Navigable](#) for [hyperlink navigation](#)

download — Whether to download the resource instead of navigating to it, and its filename if so

`ping` — [URLs](#) to ping

rel — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

hreflang — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

9. **Error** Start tag `a` seen but an element of the same type was already open.

From line 92, column 4; to line 92, column 54

```
v>↵                               ↵                               <a href = "gamedev/gamedev.html"
div class = "box">↵                               ↵
```

10. **Error** Attribute `div` not allowed on element `a` at this point.

From line 92, column 4; to line 92, column 54

```
v>↵                               ↵                               <a href = "gamedev/gamedev.html"
div class = "box">↵                               ↵
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Navigable](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

11. **Error** Start tag `a` seen but an element of the same type was already open.

From line 102, column 4; to line 102, column 63

```
v>↵                               ↵                               <a href =
"coursework/deyman/deyman.html" div class = "box">↵                               ↵
```

12. **Error** Attribute `div` not allowed on element `a` at this point.

From line 102, column 4; to line 102, column 63

```
v>↵                               ↵                               <a href =
"coursework/deyman/deyman.html" div class = "box">↵                               ↵
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Navigable](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

13. **Error** End tag `div` seen, but there were open elements.

From line 112, column 3; to line 112, column 8

```
><          <          </div><<          </b>
```

14. **Error** Unclosed element `a`.

From line 102, column 4; to line 102, column 63

```
v><          <          <a href =  
"coursework/deyman/deyman.html" div class = "box"><          <
```

15. **Error** Attribute `div` not allowed on element `a` at this point.

At line 112, column 9

```
<          </div><<          </bo
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Navigable](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

16. **Error** End tag for `body` seen, but there were unclosed elements.

From line 114, column 2; to line 114, column 8

```
</div><<          </body><<</ht
```

17. **Error** End of file seen when looking for tag name. Ignoring tag.

At line 116, column 6

```
</body>↵↵</html>
```

Document checking completed.

Used the HTML parser. Externally specified character encoding was utf-8.

Total execution time 70 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 23.3.31